



Lifetime



Certified




Certified



Certified



Warranty



Ra Available IP Grade Available //



Features //

- Outdoor (IP65&IP67&IP68) & indoor (IP22) are available
- Epistar chips, LM80 tested
- Ra95+/Ra90+ /80+, with high R9 & R13 value
- Cutable every 3 LEDs for 12V,6 LEDs for 24V
- 3M double sided tape for easy installation
- cULus Listed, 5 years warranty

















BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu,Sichuan, China.
 Zip code: 610207

Specifications are subject to change without notice.
 Blueview™ 2016 – All rights reserved. Made in China.

Specifications

LED Type	SMD 3528	Dimmable	Yes (compatible with BV311 RF dimmer & BV Dimmer)
LED Q'ty/m	60pcs	IP grade	IP22 (IP65& IP67&IP68 available upon request)
Input Voltage	12V / 24VDC Constant Voltage	Installation	3M™ double sided tape
Power	4.8W	Working Temperature	-25~+60℃
Cutting length	12V 50mm 3 LEDs 24V 100mm 6 LEDs	Max run	12V 5 meters 24V 10 meters
Strip Width	8mm	Certification	E354137 cULus Listed, CE, RoHs
Viewing Angle	120°	Warranty	5 years/ 3 years ^①

Order Code	CCT/ Color	CRI	Lumen/M ^②
FN-3528A-60-12-25K	 2425-2580K	80+, 90+, 95+	312
FN-3528A-60-12-27K	 2645-2800K	80+, 90+, 95+	312
FN-3528A-60-12-30K	 2850-3025K	80+, 90+, 95+	336
FN-3528A-60-12-35K	 3270-3545K	80+, 90+, 95+	336
FN-3528A-60-12-42K	 3840-4060K	80+, 90+, 95+	384
FN-3528A-60-12-50K	 4830-5095K	80+, 90+, 95+	384
FN-3528A-60-12-55K	 5400-5800K	80+, 90+, 95+	288
FN-3528A-60-12-65K	 6260-6680K	80+, 90+, 95+	360
FN-3528A-60-12-90K	 7836-9000K	80+	312
FN-3528A-60-12-100K	 9000-11000K	80+	312
FN-3528A-60-12-R	 625nm	-	156
FN-3528A-60-12-G	 525nm	-	255
FN-3528A-60-12-B	 465nm	-	99
FN-3528A-60-12-Y	 592nm	-	120
FN-3528A-30-12-PK	 Pink	-	210
FN-3528A-30-12-PL	 Purple	-	18

Note : Contact Blueview for exact warranty period and policy

Note : Lumen output are based on CRI80+measured according to PMS-80, with tolerance of +/- 5%

Note : Standard package: 5m/roll

BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu, Sichuan, China.
 Zip code: 610207


Specifications are subject to change without notice.
 Blueview™ 2016 – All rights reserved. Made in China.

Order Code

Model	Quality level	LED Q'ty/M	Input voltage	CCT/Color
FN	3528A	60	12	27K
FN-IP22	3528A-5 yrs warranty		12-12V DC	view table above for options
FWS-IP65	3528B-3 yrs warranty		24-24V DC	
FWT-IP67				
FWE-IP68				


Dimension

Unit:mm[in]



Package

Roll strip on areel, then put together
With desiccant into aluminum foil bag



Packing dnf

Order Code	Net Weight / CTN	Gross Weight / CTN	Units / CTN	Carton Size
FN-3528A-60	7.36 (1±10%) kgs	12.66 (1±10%) kgs	100 rolls	550*400*340mm

Remark: Data to change according to reality without prior notice.

BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu, Sichuan, China.
 Zip code: 610207

Specifications are subject to change without notice.
 Blueview™ 2016 – All rights reserved. Made in China.